

easyfarm365+

high pressure hose for the agriculture



Especially developed for the use in the agriculture

- high flow rates
- high maximum pressure

Smooth cover

The high pressure hose designed for the professional cot and machine cleaning


- Especially developed for the use in the agriculture
- For the professional cot and machine cleaning.
- Considerably longer working life in comparison to common high pressure hoses
- Ideal for the use on rough floors under hardest conditions
- Transparent surface made out of thermoplastic elastomer
- Oil-, UV-, ozone-resistant and weatherproof
- Brass-plated wire braids for high stability
- Excellent ease of use and high safety
- Max. 250 bar at DN 8
- Max. 275 bar at DN 10
- -40 °C - +120 °C, -40 °F - +248 °F

Assembled with fittings, galvanized steel



Smooth cover:
easy application on rough floors under hardest conditions

Composition: surface made out of thermoplastic elastomer, brass-plated wire braid, fabric braid and PES-interior



Per metre / roll at 100 m

easyfarm365+

high pressure hoses for the agriculture



The high pressure hose designed for the professional cot and machine cleaning


- Especially developed for the use in the agriculture
- For the professional cot and machine cleaning
- Considerably longer working life in comparison to common high pressure hoses
- Ideal for the use on rough floors under hardest conditions
- Transparent surface made out of thermoplastic elastomer
- Oil-, UV-, ozone-resistant and weatherproof
- Brass-plated wire braids for high stability
- Excellent ease of use and high safety
- Max. 180 bar at DN 12
- -40 °C - +120 °C. -40 °F - +248 °F



Assembled with fittings, galvanized steel

Smooth cover:
easy application on rough floors under hardest conditions

Composition: surface made out of thermoplastic elastomer, brass-plated wire braid, fabric braid and PES-interior



Per metre

