



SAFETY DATA SHEET

Page : 1 of 9

Revised edition no : 6

Date : 2 / 4 / 2012

Supersedes : 8 / 4 / 2011

Blue Sprite

ID 152

Rapide B.V
Tolstraat 2
info@rapide-bv.nl
7482 DB Haaksbergen NETHERLANDS
Tel : +31 53 572 77 67
Fax : +31 53 574 16 79

SECTION 1 Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Type of product : Blue Sprite.
Format : Animal cosmetic
: Commission Regulation (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

1.2. Relevant identified uses of the substance or mixture and uses advised against

: PC35; Washing and cleaning products (including solvent based products)
PC39; Cosmetics, personal care products
SU 21; Consumer uses: Private households (= general public = consumers)
See product label for detailed information.

1.3. Details of the supplier of the safety data sheet

Name and function of the responsible person : See address above.
: Theo ter Huurne
msds@rapide-bv.nl
Tel : +31 53 572 77 67

1.4. Emergency telephone number

: Tel. +31 53 572 77 67; Only during office hours
(UK) UK National Poisons Emergency number 0870 600 6266

SECTION 2 Hazards identification

None under normal conditions.

Adverse human health effects : See: <http://www.cdc.gov/NIOSH/ipcs/icstart.html>
Primary route of exposure : Skin contact. Inhalation.
Symptoms relating to use
-Inhalation : Not expected to present a significant inhalation hazard under anticipated conditions of normal use.
-Skin contact : This product is not hazardous.
-Eye contact : Slight eye irritant upon direct contact.
-Ingestion : Ingestion may cause nausea, vomiting and diarrhea.

2.1. Classification of the substance or mixture

Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

: R10

Hazard Class and Category Code Regulation EC 1272/2008 (CLP)

• **Physical hazards** : Flammable liquids - Category 3 - Warning - (CLP : Flam. Liq. 3) - H226



SAFETY DATA SHEET

Page : 2 of 9

Revised edition no : 6

Date : 2 / 4 / 2012

Supersedes : 8 / 4 / 2011

Blue Sprite**ID 152**

SECTION 2 Hazards identification (continued)

2.2. Label elements

Labelling EC 67/548 or EC 1999/45

- R Phrase(s) : R10 - Flammable.
- S Phrase(s) : S46 - If swallowed seek medical advice immediately and show this container or label.
S62 - If swallowed, do not induce vomiting : seek medical advice immediately and show this container or label.
- Contains : Ethanol

Labelling Regulation EC 1272/2008 (CLP)

- Hazard pictograms



- Hazard pictograms code : SGH02
- Signal words : Warning
- Hazard statements : H226 - Flammable liquid and vapour.

Precautionary statements

- General : P102 - Keep out of reach of children.
 - Prevention : P210 - Keep away from heat, sparks, open flames or hot surfaces. – No smoking.
P378 - Use for extinction : All extinguishing media can be used.
P304+P341 - IF INHALED : If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.
P302+P352 - IF ON SKIN : Wash with plenty of soap and water.
P301+P330+P331+P310+P321 - IF SWALLOWED : Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor. Specific treatment.
 - Storage : P404 - Store in a closed container.
 - Disposal considerations : P501 - Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
- Note : The information given in this chapter is valid for the undiluted product.

2.3. Other hazards

: None under normal conditions.

SECTION 3 Composition/information on ingredients

Substance / Preparation : Preparation.

Composition (preparation) : **Substances presenting a health or environmental hazard within the meaning of regulation (EC) 1272/2008 - Substances for which there are Community workplace exposure limits :**

Substance name	Value(s)	CAS No	EC No	Index No	REACH	Classification
ALCOHOL	: Between 25 and 50 %	64-17-5	200-578-6	603-002-00-5	01-2119457610-43-XXXX	F; R11 ----- Flam. Liq. 2 (H225)
PHENOL	: Between 0.1 and 1 %	108-95-2	203-632-7	604-001-00-2	----	Muta. Cat. 3; R68 T; R23/24/25 Xn; R48/20/21/22 C; R34 ----- Acute Tox. 3 (H311) Acute Tox. 3 (H331) Acute Tox. 3 (H301) Skin Corr. 1B (H314) Muta. 2 (H341) STOT RE 2 (H373)



SAFETY DATA SHEET

Page : 3 of 9

Revised edition no : 6

Date : 2 / 4 / 2012

Supersedes : 8 / 4 / 2011

Blue Sprite**ID 152**

SECTION 3 Composition/information on ingredients (continued)

Substance name	Value(s)	CAS No	EC No	Index No	REACH	Classification
DIETHYL PHTHALATE	: Between 0.1 and 1 %	84-66-2	201-550-6	----	----	Xi; R36/37/38 ----- Eye irrit. 2 (H319) Skin Irrit. 2 (H315) STOT SE 3 (H335)

SECTION 4 First aid measures

4.1. Description of first aid measures

- Inhalation : Not expected to present a significant hazard under anticipated conditions of normal use.
- Skin contact : Wash skin with mild soap and water.
- Eye contact : Flush with lukewarm water for 15 minutes.
- Ingestion : Do not induce vomiting. If swallowed, rinse mouth with water (only if the person is conscious).

4.2. Most important symptoms and effects, both acute and delayed


: No appropriate human or animal health effects data are known to exist.

4.3. Indication of any immediate medical attention and special treatment needed

- Note to physician : Seek medical attention if ill effect or irritation develops.
- : Treat symptomatically.

SECTION 5 Fire-fighting measures

5.1. Extinguishing media

: Foam.
Carbon dioxide.
Powder.

- Unsuitable extinguishing media



: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

: None under normal conditions.

5.3. Advice for fire-fighters

Surrounding fires

: Use water spray to cool exposed surfaces.
All known extinguishants can be used.



SAFETY DATA SHEET

Page : 4 of 9

Revised edition no : 6

Date : 2 / 4 / 2012

Supersedes : 8 / 4 / 2011

Blue Sprite

ID 152

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

: None under normal conditions.

6.2. Environmental precautions

: No known ecological damage caused by this product.
Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

: Clean up any spills as soon as possible, using an absorbent material to collect it.

6.4. Reference to other sections

: See Heading 8. See Heading 13

SECTION 7 Handling and storage

7.1. Precautions for safe handling

: Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work.
Ensure prompt removal from eyes, skin and clothing.

7.2. Conditions for safe storage, including any incompatibilities

: No special storage required.

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

8.1.1 Occupational Exposure Limits

: http://www.dguv.de/ifa/de/gestis/limit_values/index.jsp

Ethanol : TLV^o -TWA [mg/m³] : 1880

Ethanol : TLV^o -TWA [ppm] : 1000

Ethanol : MAC [mg/m³] 8 hrs : 1000

Ethanol : MAC [ppm] : 500

Phenol : TLV^o -TWA [mg/m³] : 19

Phenol : TLV^o -TWA [ppm] : 5

Phenol : TGG 8 uur (nl) (mg/m³) : 8

Diethyl phthalate : MAC [mg/m³] 8 hrs : 5

Personal protection

-Respiratory protection

- Skin protection

- Eye protection

- Hand protection

- Ingestion

General hygiene

• Pictograms (Precautionary statements)

: None necessary.

: None.

: None.

: Eye protection should only be necessary where liquid could be splashed or sprayed.

: In case of repeated or prolonged contact wear gloves.

: If swallowed, give lukewarm water (1/2 liter) and induce vomiting if victim completely conscious/alert.

: When using, do not eat, drink or smoke.





SAFETY DATA SHEET

Page : 5 of 9

Revised edition no : 6

Date : 2 / 4 / 2012

Supersedes : 8 / 4 / 2011

Blue Sprite

ID 152

SECTION 8 Exposure controls/personal protection (continued)

SECTION 9 Physical and chemical properties

9.1. Information on basic physical and chemical properties

- Appearance : Liquid.
- Odour : Alcohol.
- Odour threshold : No data available.
- pH : Not applicable.
- Melting point / Freezing point : No data available.
- Initial boiling point - boiling range : 78 - 290 C
- Flash point : Non flammable.
- Flash point [°C] : 28
- Evaporation rate : No data available.
- Flammability : Non flammable.
- Explosion limits (lower - upper) : Not applicable.
- Vapour pressure : No data available.
- Vapour density : No reliable data available.
- Relative density : ca. 0.9
- Solubility in water : Complete.
- Partition coefficient : n-octanol / water : No data available.
- Auto-ignition temperature : Not combustible.
- Viscosity : < 100 mPas
- Explosive Properties : Not applicable.
- Oxidising properties : Not applicable.

SECTION 10 Stability and reactivity

10.1. Reactivity

: Stable under normal conditions.

10.2. Chemical stability

: Stable under normal conditions.

10.3. Possibility of hazardous reactions

: None under normal conditions.

10.4. Conditions to avoid

: Extremely high or low temperatures.

10.5. Incompatible materials

: No special work practices are needed beyond the above recommendations under anticipated conditions of normal use.

10.6. Hazardous decomposition products

: None under normal conditions.



SAFETY DATA SHEET

Page : 6 of 9

Revised edition no : 6

Date : 2 / 4 / 2012

Supersedes : 8 / 4 / 2011

Blue Sprite

ID 152

SECTION 11 Toxicological information

11.1. Information on toxicological effects

On ingredients

: With the product as such no toxicological tests have been done. According to the criteria of regulation (EC) 1272/2008 this product is classified as mentioned in section 2. Components that are toxic are mentioned in section 3.

- Ethanol : Rat oral LD50 [mg/kg] : 13600
 - Diethyl phthalate : Rat oral LD50 [mg/kg] : 9000
- See <http://esis.jrc.ec.europa.eu/> for detailed information.

SECTION 12 Ecological information

12.1. Toxicity

On ingredients

- Phenol : Log P octanol / water at 20°C : 1.5
- See <http://esis.jrc.ec.europa.eu/> for detailed information.

12.2. Persistence - degradability

: With the product as such no ecological tests have been done. According to the criteria of regulation (EC) 1272/2008 this product is classified concerning the environment as mentioned in section 2. Components that are dangerous to the environment are mentioned in section 3.

12.3. Bioaccumulative potential

: No data available.

12.4. Mobility in soil

: No data available.

12.5. Results of PBT and vPvB assessment

: Not applicable.

12.6. Other adverse effects

Information on elimination

- : None under normal conditions.
- : ERC8a; Wide dispersive indoor use of processing aids in open systems

SECTION 13 Disposal considerations

13.1. Waste treatment methods

Packing

: Comply with local regulations for disposal.

Product

: Empty containers should be thoroughly rinsed with clean water.

Release

: Do not contaminate water with the product or its container. Avoid contamination via drains from farmyards and roads.

Disposal method

: Avoid discharge to the environment.

: This material and its container must be disposed of as hazardous waste.



SAFETY DATA SHEET

Page : 7 of 9

Revised edition no : 6

Date : 2 / 4 / 2012

Supersedes : 8 / 4 / 2011

Blue Sprite

ID 152

SECTION 14 Transport information

General information : ADR 2011

14.1. UN Number

: 1993

14.2. Proper shipping name


: UN1993 FLAMMABLE LIQUID, N.O.S. (Ethanol), 3, III, (D/E)

14.3. Transport Hazard Classification

: 3

Tunnel restriction code (TRC)

: D/E : Passage forbidden through tunnels of category D when carried in bulk or in tanks.
Passage forbidden through tunnels of category E.



- Labelling ADR



: 3 : Flammable liquid.
E

Land transport

H.I. nr : 30

- Proper shipping name : UN1993 FLAMMABLE LIQUID, N.O.S. (Ethanol), 3, III, (D/E)

- ADR Class : 3

- ADR Packing group : III
E

- Limited Quantity : 5 L

Combination packagings - Inner packaging : Maximum : 5 l.

Combination packagings - Package : Maximum 30 kg :

Inner packagings placed in shrink-wrapped or stretch-wrapped trays - Inner packaging
Maximum contents :

Inner packagings placed in shrink-wrapped or stretch-wrapped trays - Package Maximum 20
kg :

Emergency action in case of accident : No naked lights. No smoking.
Keep public away from danger area.
NOTIFY POLICE AND FIRE BRIGADE IMMEDIATELY.

Sea transport

- IMO-IMDG code : Class 3

IMO Packing group : III

- IMDG-Marine pollution : No ò

- EMS-Nr : F-E S-E

Air transport

- ICAO/IATA : Packaging instructions cargo : 366
Packaging instructions passenger: 355

- IATA - Class or division : 3

IATA Packing group : III

14.4. Packing group



SAFETY DATA SHEET

Page : 8 of 9

Revised edition no : 6

Date : 2 / 4 / 2012

Supersedes : 8 / 4 / 2011

Blue Sprite**ID 152**

SECTION 14 Transport information (continued)

: III

14.5. Environmental hazards

: No ecological damage caused by this product.

14.6. Special precautions for user

: Stop the engine.
No naked lights. No smoking.
Mark roads and warns other road users.
Keep public away from danger area.
NOTIFY POLICE AND FIRE BRIGADE IMMEDIATELY.

14.7. Bulk transport - annex II Marpol 73/78 - IBC

: Not applicable.

SECTION 15 Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Contains : Ensure all national/local regulations are observed.
Information on colorants. : Ethanol
Ingredients INCI : CI 42051
: AQUA, GLYCERIN, ALCOHOL, PHENOL, DIETHYL PHTHALATE, CI 42051.

15.2. Chemical Safety Assessment

: Exposure Scenario's (ES) are under development

SECTION 16 Other information

List of relevant R phrase (heading 3) : R11 - Highly flammable.
R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed.
R34 - Causes burns.
R36/37/38 - Irritating to eyes, respiratory system and skin.
R48/20/21/22 - Harmful : danger of serious damage to health by prolonged exposure through inhalation, in contact with skin and if swallowed.
R68 - Possible risks of irreversible effects.

List of relevant H phrase (heading 3) : H225 - Highly flammable liquid and vapour.
H301 - Toxic if swallowed.
H311 - Toxic in contact with skin.
H314 - Causes severe skin burns and eye damage.
H315 - Causes skin irritation.
H319 - Causes serious eye irritation.
H331 - Toxic if inhaled.
H335 - May cause respiratory irritation.
H341 - Suspected of causing genetic defects.
H373 - May cause damage to organs through prolonged or repeated exposure.

Recommended uses and restrictions : See product bulletin for detailed information.

Note : Safety data sheet available on request.

Revision : Major changes in the text compared to former version are indicated with *.

The data given here is based on current knowledge and experience. The purpose of this Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

Print date : 2 / 4 / 2012

Prepared by : Theo ter Huurne
msds@rapide-bv.nl
Tel : +31 53 572 77 67



SAFETY DATA SHEET

Page : 9 of 9

Revised edition no : 6

Date : 2 / 4 / 2012

Supersedes : 8 / 4 / 2011

Blue Sprite

ID 152

SECTION 16 Other information (continued)

End of document