

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

Product form : Mixture  
Product name : MIDA SAN 335 RV  
UFI : HS46-GJ60-2D8W-W2NH  
Product code : MS335  
Type of product : Disinfectant  
Product group : CFH Product

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**1.2.1. Relevant identified uses**

Main use category : Industrial use  
Industrial/Professional use spec : Industrial use  
Use of the substance/mixture : Biocide

**1.2.2. Uses advised against**

No additional information available

**1.3. Details of the supplier of the safety data sheet**

**Manufacturer**

Christeyns Food Hygiene Ltd. Ltd  
2, Cameron Court, Winwick Quay  
GB– WA2 8RE Warrington – Cheshire  
United Kingdom  
T +44 (0)1925 23 46 96 - F +44 (0)1925 23 46 93  
[UK-foodinfo@christeyns.com](mailto:UK-foodinfo@christeyns.com) - [www.christeyns.com](http://www.christeyns.com)

**Distributor**

Casoria Company Ltd. Ltd  
1 Farnham Street  
IE– H12 A9K0 Cavan – Co. Cavan  
Ireland  
T 00353 49 4361869 - F 00353 49 436 1869  
[sds@casoria.ie](mailto:sds@casoria.ie) - [www.casoria.ie](http://www.casoria.ie)

**Distributor**

Christeyns UK Ltd.  
Rutland Street  
GB– Bradford BD4 7EA  
United Kingdom  
T +44 (0)1274 39 32 86 - F +44 (0)1274 30 91 43  
[info@christeyns.be](mailto:info@christeyns.be) - [www.christeyns.com](http://www.christeyns.com)

**Distributor**

Christeyns Food Hygiene Ltd. Ltd  
2, Cameron Court, Winwick Quay  
GB– WA2 8RE Warrington – Cheshire  
United Kingdom  
T +44 (0)1925 23 46 96 - F +44 (0)1925 23 46 93  
[UK-foodinfo@christeyns.com](mailto:UK-foodinfo@christeyns.com) - [www.christeyns.com](http://www.christeyns.com)

**1.4. Emergency telephone number**

Emergency number : 01925 234696 (9:00 - 17:00 GMT)

Country	Official advisory body	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	Only for healthcare professionals

**SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Flammable liquids, Category 3 H226  
Serious eye damage/eye irritation, Category 1 H318  
Specific target organ toxicity – Single exposure, Category 3, Narcosis H336  
Full text of H- and EUH-statements: see section 16

**Adverse physicochemical, human health and environmental effects**

Flammable liquid and vapour. Causes serious eye damage. May cause drowsiness or dizziness.

# MIDA SAN 335 RV

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



CLP Signal word

: Danger

Contains

: Propan-1-ol, Propan-2-ol

Hazard statements (CLP)

: H226 - Flammable liquid and vapour.  
H318 - Causes serious eye damage.  
H336 - May cause drowsiness or dizziness.

Precautionary statements (CLP)

: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P261 - Avoid breathing vapours, spray.  
P271 - Use only outdoors or in a well-ventilated area.  
P280 - Wear eye protection.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 - Immediately call a POISON CENTER or doctor/physician.  
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.  
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

EUH-statements

: EUH066 - Repeated exposure may cause skin dryness or cracking.

### 2.3. Other hazards

Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Propan-1-ol substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DK, ES, FI, FR, GB, GR, HR, IE, LV, PL, PT, RO, SE, SI, SK, IS, NO, CH)	CAS-no: 71-23-8 Einecs nr: 200-746-9 EG annex nr: 603-003-00-0	10 – 30	Flam. Liq. 2, H225 Eye Dam. 1, H318 STOT SE 3, H336
Propan-2-ol substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, LT, LV, PL, PT, RO, SE, SI, SK, IS, NO, CH)	CAS-no: 67-63-0 Einecs nr: 200-661-7 EG annex nr: 603-117-00-0 REACH-no: 01-2119457558-25	5 – 10	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

General advice

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation

: Remove person to fresh air and keep comfortable for breathing. Obtain medical attention if breathing difficulty persists.

Skin contact

: Take off contaminated clothing and wash it before reuse. Wash skin with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.

Eye contact

: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain emergency medical attention.

Ingestion

: Rinse mouth out with water. If the person is fully conscious, make him/her drink water. Never give an unconscious person anything to drink. Do NOT induce vomiting. Obtain emergency medical attention.

# MIDA SAN 335 RV

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 4.2. Most important symptoms and effects, both acute and delayed

Acute effects inhalation : Vapours may cause drowsiness and dizziness. May cause respiratory irritation.  
Acute effects eyes : Causes serious eye damage.

### 4.3. Indication of any immediate medical attention and special treatment needed

Prompt treatment is essential to minimize damage.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire. Water, dry chemical powder, alcohol-resistant foam, carbon dioxide (CO<sub>2</sub>).

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour.  
Explosion hazard : May form flammable/explosive vapour-air mixture.

### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Prevent fire fighting water from entering the environment.  
Protection during firefighting : Use self-contained breathing apparatus and chemically protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Wear recommended personal protective equipment.

#### 6.1.1. For non-emergency personnel

Protective equipment : Avoid any direct contact with the product. Use personal protective equipment as required.  
Emergency procedures : Evacuate unnecessary personnel. Only qualified personnel equipped with suitable protective equipment may intervene.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment.

### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

For containment : Stop leak if safe to do so. Cover spill with non combustible material, e.g.: sand, earth, vermiculite. Sweep or shovel spills into appropriate container for disposal.  
Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. This material and its container must be disposed of in a safe way, and as per local legislation. Wash contaminated area with large amounts of water.

### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection".

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.  
Precautions for safe handling : Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Do not mix with other products. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking. Take precautionary measures against static discharge. Avoid breathing fume, spray.  
Hygiene measures : Do not eat, drink or smoke when using this product.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.  
Storage conditions : Keep only in the original container in a cool, well ventilated place. Avoid high temperatures.  
Incompatible products : Strong acids. Strong bases.

### 7.3. Specific end use(s)

Disinfectant.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

Propan-1-ol (71-23-8)	
Ireland - Occupational Exposure Limits	
Local name	n-Propanol [Propan-1-ol, n-Propyl alcohol]

# MIDA SAN 335 RV

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>Propan-1-ol (71-23-8)</b>	
OEL TWA [2]	100 ppm
Remark	Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body)
Regulatory reference	Chemical Agents Code of Practice 2021
<b>United Kingdom - Occupational Exposure Limits</b>	
Local name	Propan-1-ol
WEL TWA (OEL TWA) [1]	500 mg/m <sup>3</sup>
WEL TWA (OEL TWA) [2]	200 ppm
WEL STEL (OEL STEL)	625 mg/m <sup>3</sup>
WEL STEL (OEL STEL) [ppm]	250 ppm
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
<b>Propan-2-ol (67-63-0)</b>	
<b>Ireland - Occupational Exposure Limits</b>	
Local name	Isopropyl alcohol [Propan-2-ol]
OEL TWA [2]	200 ppm
OEL STEL [ppm]	400 ppm
Remark	Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body)
Regulatory reference	Chemical Agents Code of Practice 2021
<b>United Kingdom - Occupational Exposure Limits</b>	
Local name	Propan-2-ol
WEL TWA (OEL TWA) [1]	999 mg/m <sup>3</sup>
WEL TWA (OEL TWA) [2]	400 ppm
WEL STEL (OEL STEL)	1250 mg/m <sup>3</sup>
WEL STEL (OEL STEL) [ppm]	500 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

### 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

No additional information available

### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Good ventilation of the workplace required.

### 8.2.2. Personal protection equipment

#### Personal protective equipment symbol(s):



# MIDA SAN 335 RV

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

---

### 8.2.2.1. Eye and face protection

#### Eye protection:

Goggles. Standard EN 166 - Personal eye-protection. If there is a risk of liquid being splashed : Wear suitable face shield . If using in a trigger spray no eye protection is required. Take care to avoid eye contact.

### 8.2.2.2. Skin protection

#### Protective equipment:

Wear suitable protective clothing. PVC apron covering the tops of the boots. Boots made of PVC

#### Hand protection:

Wear suitable gloves resistant to chemical penetration. Standard EN 374 - Protective gloves against chemicals. If using in a trigger spray no gloves are required. Hands should be rinsed well after use.

### 8.2.2.3. Respiratory protection

#### Respiratory protection:

Not required for normal conditions of use

### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

No additional information available

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.
Physical state/form	: Clear Liquid.
Odour	: Alcohol.
Odour threshold	: Not available
Melting point/range	: Not available
Freezing point	: Not available
Boiling point/Boiling range	: Not available
Flammability	: Flammable liquid and vapour.
Explosive limits	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: 31 °C
Autoignition temperature	: Not available
Decomposition temperature	: Not available
pH	: 9
Viscosity, kinematic	: 3.206 mm <sup>2</sup> /s at 20 °C
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: 0.94
Relative density	: Not available
Relative vapour density at 20 °C	: Not available
Particle characteristics	: Not applicable

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Stable under normal conditions of use.

# MIDA SAN 335 RV

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 10.2. Chemical stability

Flammable liquid and vapour. Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

None under normal conditions.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Heat and ignition sources.

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Carbon dioxide. Carbon monoxide. May release flammable gases.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

Propan-1-ol (71-23-8)	
LD50 oral rat	1870 mg/kg
LD50 dermal rabbit	4000 – 10000 mg/kg
LC50 Inhalation - Rat	> 33.8 mg/l/4h

Propan-2-ol (67-63-0)	
LD50 oral rat	4700 – 54500 mg/kg
LC50 Inhalation - Rat	46 – 73 mg/l/4h

Skin corrosion/irritation : Not classified  
pH: 9

Propan-1-ol (71-23-8)	
pH	8.5
Serious eye damage/irritation	: Causes serious eye damage. pH: 9

Propan-1-ol (71-23-8)	
pH	8.5
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause drowsiness or dizziness.

Propan-1-ol (71-23-8)	
STOT-single exposure	May cause drowsiness or dizziness.

Propan-2-ol (67-63-0)	
LOAEL (oral, rat)	5840 mg/kg bodyweight
LOAEL (dermal, rat/rabbit)	13900 mg/kg bodyweight
LOAEC (inhalation, rat, vapour)	25 mg/l/4h
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

MIDA SAN 335 RV	
Viscosity, kinematic	3.206 mm <sup>2</sup> /s at 20 °C
Propan-1-ol (71-23-8)	
Viscosity, kinematic	2.861 mm <sup>2</sup> /s

# MIDA SAN 335 RV

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

Propan-1-ol (71-23-8)	
LC50 - Fish [1]	4480 mg/l
EC50 - Crustacea [1]	3644 mg/l
ErC50 algae	3100 mg/l

Propan-2-ol (67-63-0)	
LC50 - Fish [1]	9640 mg/l
EC50 - Crustacea [1]	9714 mg/l
EC50 72h - Algae [1]	> 100 mg/l

### 12.2. Persistence and degradability

Propan-1-ol (71-23-8)	
Biodegradation	83 %

Propan-2-ol (67-63-0)	
Biodegradation	95 %

### 12.3. Bioaccumulative potential

Propan-1-ol (71-23-8)	
Log Pow	0.25 – 0.34

Propan-2-ol (67-63-0)	
Partition coefficient n-octanol/water (Log Kow)	0.05

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

MIDA SAN 335 RV	
Results of PBT assessment	The product does not meet the PBT and vPvB classification criteria

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Product/Packaging disposal recommendations

: Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.

HP Code

: HP3 - "Flammable:"  
– flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;  
– flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;  
– flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;  
– flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;  
– water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;  
– other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.  
HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

# MIDA SAN 335 RV

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 14: Transport information


In accordance with ADR / IMDG

ADR	IMDG
<b>14.1. UN number or ID number</b>	
UN 1987	UN 1987
<b>14.2. UN proper shipping name</b>	
ALCOHOLS, N.O.S. (Propan-2-ol ; Propan-1-ol)	ALCOHOLS, N.O.S. (Propan-2-ol ; Propan-1-ol)
<b>Transport document description</b>	
UN 1987 ALCOHOLS, N.O.S. (Propan-2-ol ; Propan-1-ol), 3, III, (D/E)	UN 1987 ALCOHOLS, N.O.S. (Propan-2-ol ; Propan-1-ol), 3, III (31.0°C c.c.)
<b>14.3. Transport hazard class(es)</b>	
3	3
	
<b>14.4. Packing group</b>	
III	III
<b>14.5. Environmental hazards</b>	
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No
No supplementary information available	

### 14.6. Special precautions for user

#### Overland transport

Classification code (ADR)	: F1
Special provisions (ADR)	: 274, 601
Limited quantities (ADR)	: 5I
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions (ADR)	: TP1, TP29
Tank code (ADR)	: LGBF
Vehicle for tank carriage	: FL
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Operation (ADR)	: S2
Hazard identification number (Kemler No.)	: 30
Orange plates	:



Tunnel code : D/E

#### Transport by sea

Special provisions (IMDG)	: 223, 274
Limited quantities (IMDG)	: 5 L
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# MIDA SAN 335 RV

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

###### REACH Annex XVII (Restriction List)

Contains no REACH substances with Annex XVII restrictions

###### REACH Annex XIV (Authorisation List)

Contains no REACH Annex XIV substances

###### REACH Candidate List (SVHC)

Contains no substance on the REACH candidate list

###### PIC Regulation (Prior Informed Consent)

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

###### POP Regulation (Persistent Organic Pollutants)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

###### Ozone Regulation (1005/2009)

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

###### Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

###### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on drug precursors)

##### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### SECTION 16: Other information

#### Indication of changes

Section	Changed item	Change	Comments
	Supersedes	Modified	
	Review date	Modified	
1.2	Use of the substance/mixture	Modified	
2.2	Precautionary statements (CLP)	Modified	
4.1	Skin contact	Modified	
4.1	Ingestion	Modified	
4.1	Eye contact	Modified	
13.1	HP Code	Added	

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information

: None.

#### Full text of H- and EUH-statements:

EUH066	Repeated exposure may cause skin dryness or cracking.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2

# MIDA SAN 335 RV

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.