

MS FoamClean

Creation date	16th December 2025	Version	9.0
Revision date	23rd February 2026		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier**
 Substance / mixture MS FoamClean
 UFI mixture
 RUT2-C0H8-G00C-D3KG
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**
Mixture's intended use
 Reinigingsmiddel
 Concentración de uso: zie label
Main intended use
 PC-CLN-16.4 Dry cleaning and associated products
Mixture uses advised against
 The product should not be used in ways other than those referred in Section 1.
- 1.3. Details of the supplier of the safety data sheet**
Supplier
 Name or trade name Schippers Europe BV
 Address Smaragdweg 60, Hapert, 5527 LB
 Netherlands
 VAT number NL004022361B01
 Phone +31497382017
 Email contact.nl@schippers.eu
 Web address https://www.schippers.eu/
- 1.4. Emergency telephone number**
 European emergency number: 112

SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture**
Classification of the mixture in accordance with Regulation (EC) No 1272/2008
 The mixture is classified as dangerous.

Skin Corr. 1, H314
 Eye Dam. 1, H318
 Aquatic Chronic 3, H412

Most serious adverse effects on human health and the environment

Causes severe skin burns and eye damage. Causes serious eye damage. Harmful to aquatic life with long lasting effects.

- 2.2. Label elements**
Hazard pictogram

**Signal word**

Danger

Hazard statements

H314 Causes severe skin burns and eye damage.
 H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P102 Keep out of reach of children.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

MS FoamClean

Creation date	16th December 2025	Version	9.0
Revision date	23rd February 2026		

- P310 Immediately call a doctor.
- P501 Dispose of contents/container to by handing over to the person authorized to dispose of waste or by returning to the supplier.

Requirements for child-resistant fastenings and tactile warning of danger

Container must carry a tactile warning of danger. Container must be fitted with child-resistant fastening.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended. Does not contain any PMT or vPvM components.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 1310-73-2 EC: 215-185-5 Registration number: 01-2119457892-27	sodium hydroxide	≤5	Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318 Specific concentration limit: Skin Corr. 1A, H314: C ≥ 5 % Eye Irrit. 2, H319: C > 0.5 % Skin Irrit. 2, H315: C > 0.5 %	
CAS: 112-34-5 EC: 203-961-6 Registration number: 01-2119475104-44	2-(2-butoxyethoxy)ethanol	≤2.8	Eye Irrit. 2, H319	1, 2
CAS: 90170-43-7 EC: 290-476-8	β-Alanine, N-(2-carboxyethyl)-, N-coco alkyl derivs., disodium salts	<2.5	Eye Irrit. 2, H319	
CAS: 68891-38-3 EC: 500-234-8 Registration number: 01-2119488639-16	Sodium Laureth Ether Sulfate	≤2.5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Specific concentration limit: Eye Dam. 1, H318: C > 10 % Eye Irrit. 2, H319: 5 % ≤ C ≤ 10 %	
Index: 606-024-00-3 CAS: 110-43-0 EC: 203-767-1	heptan-2-one	0.001- <0.0025	Flam. Liq. 3, H226 Acute Tox. 4, H302+H332	1

Notes

- 1 A substance for which exposure limits are set.
- 2 The use of the substance is restricted by Annex XVII of REACH Regulation

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Take care of your own safety, do not let the affected person walk! Beware of the contaminated clothes. Depending on the situation, call the medical rescue service and ensure medical treatment considering the frequent need of further observation for at least 24 hours.

MS FoamClean

Creation date	16th December 2025	Version	9.0
Revision date	23rd February 2026		

If on skin

Take off contaminated clothing. Take off any rings, watches, bracelets before or during washing if worn in the contaminated areas of the skin. Rinse contaminated areas with a flow of water, lukewarm at best, for 10-30 minutes; do not use any brush, soap or neutralizers. Depending on the situation, call the medical rescue service and always ensure medical treatment. Rinse cautiously with water for several minutes. Rinse skin with water or shower.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

If swallowed

RINSE THE MOUTH WITH WATER IMMEDIATELY AND LET THE PERSON DRINK 0.2-0.5 l of cold water to reduce the heating effect of the corrosive substance. Consuming larger amounts of liquid is not advisable as it may induce vomiting and potential inhaling of the corrosive substances in the lungs. The affected person must not be forced to drink, particularly if already feeling pain in the mouth or throat. In this case let the affected person only rinse the mouth with water. DO NOT PROVIDE ACTIVATED CARBON! Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible.

4.2. Most important symptoms and effects, both acute and delayed**If inhaled**

Inhaling vapours can cause corrosion of the breathing system.

If on skin

Causes severe skin burns.

If in eyes

Causes serious eye damage.

If swallowed

Corrosion of the digestion system can occur.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Not defined.

5.2. Special hazards arising from the substance or mixture

Not defined.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.

MS FoamClean

Creation date	16th December 2025	Version	9.0
Revision date	23rd February 2026		

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Avoid release to the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Store locked up.

Content	Packaging type	Material of package
1 kg	bottle	
10 kg	jerry can	
20 kg	jerry can	
22 kg	jerry can	
60 kg	jerry can	
200 kg	barrel / drum	
230 kg	barrel / drum	
1000 kg	IBC (intermediate bulk container)	
1100 kg	IBC (intermediate bulk container)	
1,13 kg	bag / sack	

7.3. Specific end use(s)

Cleaning agent.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

European Union

Commission Directive 2000/39/EC

Substance name (component)	Type	Value
heptan-2-one (CAS: 110-43-0)	OEL 8 hours	238 mg/m ³
	OEL 8 hours	50 ppm
	OEL 15 minutes	475 mg/m ³
	OEL 15 minutes	100 ppm

Notes

Skin.

European Union

Commission Directive 2006/15/EC

Substance name (component)	Type	Value
2-(2-butoxyethoxy)ethanol (CAS: 112-34-5)	OEL 8 hours	67,5 mg/m ³
	OEL 8 hours	10 ppm
	OEL 15 minutes	101,2 mg/m ³
	OEL 15 minutes	15 ppm

8.2. Exposure controls

Take off contaminated clothing and wash before reuse. Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

MS FoamClean

Creation date	16th December 2025	Version	9.0
Revision date	23rd February 2026		

Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

Respiratory protection

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	yellow, colourless
Odour	characteristic
Melting point/freezing point	0 °C
Boiling point or initial boiling point and boiling range	100 °C
Flammability	data not available
Lower and upper explosion limit	
bottom	0.85 %
upper	24.6 %
Flash point	data not available
Auto-ignition temperature	200 °C
Decomposition temperature	data not available
pH	13.3 (undiluted)
Kinematic viscosity	16 mm ² /s at 40 °C
Solubility in water	completely soluble
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	2.332 at 20 °C
Density and/or relative density	
Density	1.135 g/cm ³ at 20 °C
Relative vapour density	data not available
Particle characteristics	data not available

9.2. Other information

Dynamic viscosity, 20°C: 18 mPa.s
 Sustained combustion test: /
 Evaporation rate (n-BuAc = 1): 0.300
 Volatile organic component (VOC): /
 Volatile organic component (VOC): 69.919 g/l

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is stable under normal conditions.

10.2. Chemical stability

Avoid extremely high or low temperatures. The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

MS FoamClean

Creation date	16th December 2025	Version	9.0
Revision date	23rd February 2026		

10.4. Conditions to avoid

Protect from sunlight and do not expose to temperatures exceeding + 50°C.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Hazardous substances in concentrations exceeding exposure limits may cause acute inhalation poisoning, depending on the concentration and duration of exposure. No toxicological data is available for the mixture.

Acute toxicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

MS FoamClean						
Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination
Oral	ATE	>2000 mg/kg				
Dermal	ATE	>2000 mg/kg				
Inhalation (dust/mist)	ATE	12019 mg/l				Calculation of value

2-(2-butoxyethoxy)ethanol						
Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination
Oral	LD ₅₀	3305 mg/kg		Rat (<i>Rattus norvegicus</i>)		
Dermal	LD ₅₀	2764 mg/kg		Rabbit		
Inhalation	LC ₅₀	≥50 mg/l	4 hours			

sodium hydroxide						
Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination
Oral	LD ₅₀	≥5000 mg/kg		Rat		
Dermal	LD ₅₀	≥5000 mg/kg		Rabbit		
Inhalation	LC ₅₀	≥50 mg/l	4 hours			

Sodium Laureth Ether Sulfate						
Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination
Oral	LD ₅₀	≥5000 mg/kg		Rat (<i>Rattus norvegicus</i>)		
Dermal	LD ₅₀	≥5000 mg/kg		Rabbit		
Inhalation	LC ₅₀	≥50 mg/l	4 hours	Rat (<i>Rattus norvegicus</i>)		
	EC ₅₀	7.5 mg/l				

Skin corrosion/irritation

Causes severe skin burns and eye damage. Data for the components of the mixture are not available.

Serious eye damage/irritation

Causes severe skin burns and eye damage. Causes serious eye damage. Data for the components of the mixture are not available.

MS FoamClean

Creation date	16th December 2025	Version	9.0
Revision date	23rd February 2026		

Respiratory or skin sensitisation

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Germ cell mutagenicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Carcinogenicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Reproductive toxicity

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Toxicity for specific target organ - single exposure

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Toxicity for specific target organ - repeated exposure

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

Aspiration hazard

No data are available for either the mixture or the components. Based on the available data, the criteria for classification of the mixture are not met.

11.2. Information on other hazards

Endocrine disrupting properties

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any components that may cause endocrine disruption for humans.

Other information

not available

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects. Data for the components of the mixture are not available.

Acute toxicity

2-(2-butoxyethoxy)ethanol				
Parameter	Value	Exposure time	Species	Environment
LC ₅₀	1300 mg/l	96 hours	Fish (Oncorhynchus mykiss)	
EC ₅₀	>100 mg/l	48 hours	Daphnia (Daphnia magna)	
ErC ₅₀	>100 mg/l	72 hours	Algae (Selenastrum capricornutum)	
EC ₅₀	255 mg/l			

sodium hydroxide				
Parameter	Value	Exposure time	Species	Environment
LC ₅₀	35-189 mg/l	96 hours	Fish	
EC ₅₀	33-450 mg/l	48 hours	Daphnia	

MS FoamClean

Creation date	16th December 2025	Version	9.0
Revision date	23rd February 2026		

Sodium Laureth Ether Sulfate				
Parameter	Value	Exposure time	Species	Environment
LC ₅₀	7.1 mg/l	96 hours	Fish (Oncorhynchus mykiss)	
EC ₅₀	7.2 mg/l	48 hours	Daphnia (Daphnia magna)	
EC ₅₀	>1000 mg/kg	3 hours	Bacteria	

Chronic toxicity

Sodium Laureth Ether Sulfate				
Parameter	Value	Exposure time	Species	Environment
NOEC	0.93 mg/l		Algae	

12.2. Persistence and degradability

Surfactants are biodegradable according to the European Parliament and Council Regulation (EC) No. 648/2004 on detergents, as amended. No data are available for either the mixture or the components.

12.3. Bioaccumulative potential

No data are available for either the mixture or the components.

12.4. Mobility in soil

Water hazard class, WGK (AwSV): 2
Solubility in water: Completely soluble

12.5. Results of PBT and vPvB assessment

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any PBT or vPvB components.

12.6. Endocrine disrupting properties

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any components that may cause endocrine disruption in the environment.

12.7. Other adverse effects

Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

SECTION 14: Transport information

14.1. UN number or ID number

UN 1719

14.2. UN proper shipping name

CAUSTIC ALKALI LIQUID, N.O.S. (mixture with Sodium hydroxide)

14.3. Transport hazard class(es)

8 Corrosive substances

14.4. Packing group

II

MS FoamClean

Creation date	16th December 2025	Version	9.0
Revision date	23rd February 2026		

14.5. Environmental hazards

not relevant

14.6. Special precautions for user


Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

Additional information

Hazard identification No.



UN number

Classification code

C5

Safety signs

8



Tunnel restriction code

(E)

Air transport - ICAO/IATA

Packaging instructions passenger

851

Cargo packaging instructions

855

Marine transport - IMDG

EmS (emergency plan)

F-A, S-B

MFAG

705

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

Restrictions pursuant to Annex XVII of Regulation (EC) No. 1907/2006 (REACH), as amended

2-(2-butoxyethoxy)ethanol

Restriction	Conditions of restriction
55	<p>1. Shall not be placed on the market for the first time after 27 June 2010, for supply to the general public, as a constituent of spray paints or spray cleaners in aerosol dispensers in concentrations equal to or greater than 3 % by weight.</p> <p>2. Spray paints and spray cleaners in aerosol dispensers containing DEGBE and not conforming to paragraph 1 shall not be placed on the market for supply to the general public after 27 December 2010.</p> <p>3. Without prejudice to other Community legislation concerning the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that paints other than spray paints containing DEGBE in concentrations equal to or greater than 3 % by weight of that are placed on the market for supply to the general public are visibly, legibly and indelibly marked by 27 December 2010 as follows:</p> <p>"Do not use in paint spraying equipment".</p>

15.2. Chemical safety assessment

not available

MS FoamClean

Creation date	16th December 2025	Version	9.0
Revision date	23rd February 2026		

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

H226	Flammable liquid and vapour.
H290	May be corrosive to metals.
H302+H332	Harmful if swallowed or if inhaled.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

Guidelines for safe handling used in the safety data sheet

P102	Keep out of reach of children.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a doctor.
P501	Dispose of contents/container to by handing over to the person authorized to dispose of waste or by returning to the supplier.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

Acute Tox.	Acute toxicity
ADR	Agreement concerning the international carriage of dangerous goods by road
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
ATE	Acute toxicity estimate
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EC ₅₀	Concentration of a substance when it is affected 50 % of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency Response Procedures for Ships Carrying Dangerous Goods
EU	European Union
EuPCS	European Product Categorisation System
Eye Dam.	Serious eye damage
Eye Irrit.	Eye irritation
Flam. Liq.	Flammable liquid
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC ₅₀	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD ₅₀	Lethal dose of a substance in which it can be expected death of 50% of the population
log Kow	Octanol-water partition coefficient

MS FoamClean

Creation date	16th December 2025	Version	9.0
Revision date	23rd February 2026		

Met. Corr.	Corrosive to metals
NOEC	No observed effect concentration
OEL	Occupational Exposure Limits
PBT	Persistent, bioaccumulative and toxic
PMT	Persistent, mobile and toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulation concerning the International Carriage of Dangerous Goods by Rail
Skin Corr.	Skin corrosion
Skin Irrit.	Skin irritation
UN number	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very persistent and very bioaccumulative
vPvM	Very persistent and very mobile

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

The version 9.0 replaces the SDS version from Tuesday, 16 December 2025. Changes were made in sections 2 and 16.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.