

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixtures
 Product name : MSE Mortar Forte Rapid B-comp

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

No additional information available

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Schippers Europe BV
 Rond Deel 12
 5531 AH Bladel - Nederland
 T +31 497 339771

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number
Belgium	Centre Anti-Poisons/Antigifcentrum c/o Hôpital Central de la Base - Reine Astrid	Rue Bruyn 1 1120 Bruxelles/Brussel	+32 70 245 245

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute Tox. 4 (Oral) H302
 Acute Tox. 4 (Inhalation:dust,mist) H332
 Skin Corr. 1A H314
 Skin Sens. 1 H317
 Muta. 2 H341

Full text of hazard classes and H-statements : see section 16

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



Signal word (CLP) :

Danger

Hazard statements (CLP) :

H302+H332 - Harmful if swallowed or if inhaled
 H314 - Causes severe skin burns and eye damage.
 H317 - May cause an allergic skin reaction.
 H341 - Suspected of causing genetic defects (if swallowed).
 H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) :

P202 - Do not handle until all safety precautions have been read and understood.
 P260 - Do not breathe vapours, mist.
 P264 - Wash hands, forearms and face thoroughly after handling.
 P270 - Do not eat, drink or smoke when using this product.
 P271 - Use only outdoors or in a well-ventilated area.

2.3. Other hazards

Adverse physicochemical, human health and environmental effects

: Suspected of causing genetic defects. Harmful if inhaled. Harmful if swallowed. Causes severe skin burns and eye damage. May cause an allergic skin reaction.

MSE Mortar Forte Rapid B-comp

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl alcohol	(CAS-No.) 100-51-6 (EC-No.) 202-859-9 (EC Index-No.) 603-057-00-5 (REACH-no) 01-2119492630-38	5 - 23	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2, H319
m-fenyleenbis(methylamine)	(CAS-No.) 1477-55-0 (EC-No.) 216-032-5 (REACH-no) 01-2119480150-50	17 - 23	Skin Sens. 1B, H317 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Aquatic Chronic 3, H412
MXDA: m-fenyleenbis(methylamine)	(CAS-No.) 1477-55-0 (EC-No.) 216-032-5 (REACH-no) 01-2119480150-50	5 - 10	Skin Sens. 1B, H317 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Aquatic Chronic 3, H412
Phenol	(CAS-No.) 108-95-2 (EC-No.) 203-632-7 (EC Index-No.) 604-001-00-2 (REACH-no) 01-2119471329-32	2 - 9	Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Acute Tox. 2 (Inhalation:dust,mist), H330 Skin Corr. 1B, H314 Muta. 2, H341 STOT RE 2, H373 Aquatic Chronic 2, H411
3-Aminopropyltriethoxysilane	(CAS-No.) 919-30-2 (EC-No.) 213-048-4 (EC Index-No.) 612-108-00-0 (REACH-no) 01-2119480479-24	1 - 5	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314

Specific concentration limits:

Name	Product identifier	Specific concentration limits
Phenol	(CAS-No.) 108-95-2 (EC-No.) 203-632-7 (EC Index-No.) 604-001-00-2 (REACH-no) 01-2119471329-32	(1 =<C < 3) Eye Irrit. 2, H319 (1 =<C < 3) Skin Irrit. 2, H315 (C >= 3) Skin Corr. 1B, H314

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician immediately.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Do NOT induce vomiting. Rinse mouth. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	: Burns. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Causes serious eye damage.
Symptoms/effects after ingestion	: Burns.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

MSE Mortar Forte Rapid B-comp

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. Do not breathe fume, dust, gas, mist, spray, vapours.

Hygiene measures : Take off contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Wash hands, forearms and face thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Phenol (108-95-2)		
EU	IOELV TWA (mg/m ³)	8 mg/m ³
EU	IOELV TWA (ppm)	2 ppm
EU	IOELV STEL (mg/m ³)	16 mg/m ³
EU	IOELV STEL (ppm)	4 ppm
Belgium	Limit value (mg/m ³)	8 mg/m ³
Belgium	Limit value (ppm)	2 ppm
Belgium	Short time value (mg/m ³)	16 mg/m ³
Belgium	Short time value (ppm)	4 ppm
France	VME (mg/m ³)	7,8 mg/m ³
France	VME (ppm)	2 ppm
France	VLE (mg/m ³)	15,6 mg/m ³
France	VLE (ppm)	4 ppm
Netherlands	Grenswaarde TGG 8H (mg/m ³)	8 mg/m ³
Netherlands	Grenswaarde TGG 8H (ppm)	2 ppm
United Kingdom	WEL TWA (mg/m ³)	7,8 mg/m ³
United Kingdom	WEL TWA (ppm)	2 ppm
United Kingdom	WEL STEL (mg/m ³)	16 mg/m ³
United Kingdom	WEL STEL (ppm)	4 ppm
USA - ACGIH	ACGIH TWA (ppm)	5 ppm
m-fenyleenbis(methylamine) (1477-55-0)		
Belgium	Short time value (mg/m ³)	0,1 mg/m ³
France	VLE (mg/m ³)	0,1 mg/m ³

MSE Mortar Forte Rapid B-comp

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

m-fenyleenbis(methylamine) (1477-55-0)		
USA - ACGIH	ACGIH Ceiling (mg/m ³)	0,1 mg/m ³
MXDA: m-fenyleenbis(methylamine) (1477-55-0)		
Belgium	Short time value (mg/m ³)	0,1 mg/m ³
France	VLE (mg/m ³)	0,1 mg/m ³
USA - ACGIH	ACGIH Ceiling (mg/m ³)	0,1 mg/m ³

8.2. Exposure controls

Appropriate engineering controls	: Ensure good ventilation of the work station.
Hand protection	: Protective gloves
Eye protection	: Safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: [In case of inadequate ventilation] wear respiratory protection.
Environmental exposure controls	: Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: No data available
Odour	: No data available
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under recommended handling and storage conditions (see section 7).

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

No additional information available

MSE Mortar Forte Rapid B-comp

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed. Inhalation:dust,mist: Harmful if inhaled.

ATE CLP (oral)	802,827 mg/kg bodyweight
ATE CLP (dust,mist)	2,693 mg/l/4h

Benzylic alcohol (100-51-6)

LD50 oral rat	1620 mg/kg bodyweight
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 4,178 mg/l air

Phenol (108-95-2)

LD50 oral rat	650 mg/kg
LD50 dermal rat	660 mg/kg
LC50 inhalation rat (mg/l)	> 0,9 mg/l

m-fenyleenbis(methylamine) (1477-55-0)

LD50 oral rat	200 - 2000 mg/kg bodyweight
LD50 dermal rat	> 3100 mg/kg bodyweight
LD50 dermal rabbit	2000 mg/kg
LC50 inhalation rat (mg/l)	1,34 mg/l

MXDA: m-fenyleenbis(methylamine) (1477-55-0)

LD50 oral rat	200 - 2000 mg/kg bodyweight
LD50 dermal rat	> 3100 mg/kg bodyweight
LD50 dermal	> 3100 mg/kg
LC50 inhalation rat (mg/l)	1,34 mg/l

3-Aminopropyltriethoxysilane (919-30-2)

LD50 oral rat	1,57 - 2,83 ml/kg
LD50 dermal rabbit	4,29 ml/kg
LC50 inhalation rat (ppm)	> 5 ppm

Skin corrosion/irritation	: Causes severe skin burns and eye damage.
Serious eye damage/irritation	: Serious eye damage, category 1, implicit
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Suspected of causing genetic defects (if swallowed).
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.

Benzylic alcohol (100-51-6)

LC50 fish 1	460 mg/l
EC50 Daphnia 1	230 mg/l
LC50 fish 2	10 mg/l
ErC50 (algae)	770 mg/l
Threshold limit algae 1	640 mg/l

Phenol (108-95-2)

LC50 fish 1	8,9 mg/l
EC50 Daphnia 1	3,1 mg/l

m-fenyleenbis(methylamine) (1477-55-0)

LC50 fish 1	87,6 mg/l
EC50 Daphnia 1	15,2 mg/l
LC50 fish 2	> 100 mg/l

MSE Mortar Forte Rapid B-comp

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

m-fenyleenbis(methylamine) (1477-55-0)	
ErC50 (algae)	33,3 mg/l
Threshold limit algae 1	12 mg/l
MXDA: m-fenyleenbis(methylamine) (1477-55-0)	
LC50 fish 1	87,6 mg/l
EC50 Daphnia 1	15,2 mg/l
ErC50 (algae)	33,3 mg/l
NOEC (acute)	4,7 mg/l
3-Aminopropyltriethoxysilane (919-30-2)	
LC50 fish 1	> 934 mg/l
EC50 Daphnia 1	331 mg/l
ErC50 (algae)	> 1000 mg/l

12.2. Persistence and degradability

Benzylic alcohol (100-51-6)	
Biochemical oxygen demand (BOD)	1,6 g O ₂ /g substance
Chemical oxygen demand (COD)	2,4 g O ₂ /g substance
ThOD	2,5 g O ₂ /g substance
Phenol (108-95-2)	
Biochemical oxygen demand (BOD)	1,68 g O ₂ /g substance
Chemical oxygen demand (COD)	2,28 g O ₂ /g substance
ThOD	2,38 g O ₂ /g substance
BOD (% of ThOD)	0,71

12.3. Bioaccumulative potential

Benzylic alcohol (100-51-6)	
Log Pow	1 - 1,1
Phenol (108-95-2)	
BCF fish 1	17,5
Log Pow	1,47
m-fenyleenbis(methylamine) (1477-55-0)	
BCF fish 1	< 2,7
Log Pow	0,18
MXDA: m-fenyleenbis(methylamine) (1477-55-0)	
Log Pow	0,18
3-Aminopropyltriethoxysilane (919-30-2)	
BCF fish 1	3,4
Log Pow	1,7

12.4. Mobility in soil

Benzylic alcohol (100-51-6)	
Surface tension	39 mN/m
Phenol (108-95-2)	
Surface tension	0,0713 N/m
Log Koc	1,58 - 1,86
m-fenyleenbis(methylamine) (1477-55-0)	
Log Koc	3,11
MXDA: m-fenyleenbis(methylamine) (1477-55-0)	
Log Koc	3,11

12.5. Results of PBT and vPvB assessment

Component	
Benzylic alcohol (100-51-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Phenol (108-95-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
m-fenyleenbis(methylamine) (1477-55-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

MSE Mortar Forte Rapid B-comp

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Component	
MXDA: m-fenyleenbis(methylamine) (1477-55-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
3-Aminopropyltriethoxysilane (919-30-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 2735
UN-No. (IMDG) : 2735
UN-No. (IATA) : 2735
UN-No. (ADN) : 2735
UN-No. (RID) : 2735

14.2. UN proper shipping name

Proper Shipping Name (ADR) : POLYAMINES, LIQUID, CORROSIVE, N.O.S.
Proper Shipping Name (IMDG) : POLYAMINES, LIQUID, CORROSIVE, N.O.S.
Proper Shipping Name (IATA) : Polyamines, liquid, corrosive, n.o.s.
Proper Shipping Name (ADN) : POLYAMINES, LIQUID, CORROSIVE, N.O.S.
Proper Shipping Name (RID) : POLYAMINES, LIQUID, CORROSIVE, N.O.S.
Transport document description (ADR) : UN 2735 POLYAMINES, LIQUID, CORROSIVE, N.O.S. (m-phenylenebis(methylamine) (mixture)), 8, III, (E)
Transport document description (IMDG) : UN 2735 POLYAMINES, LIQUID, CORROSIVE, N.O.S. (m-phenylenebis(methylamine) (mixture)), 8, III

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 8
Danger labels (ADR) : 8



IMDG

Transport hazard class(es) (IMDG) : 8
Danger labels (IMDG) : 8



IATA

Transport hazard class(es) (IATA) : 8
Hazard labels (IATA) : 8



MSE Mortar Forte Rapid B-comp

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ADN

Transport hazard class(es) (ADN) : 8

Danger labels (ADN) : 8



RID

Transport hazard class(es) (RID) : 8

Danger labels (RID) : 8



14.4. Packing group

Packing group (ADR) : III

Packing group (IMDG) : III

Packing group (IATA) : III

Packing group (ADN) : III

Packing group (RID) : III

14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : C7

Special provisions (ADR) : 274

Limited quantities (ADR) : 5I

Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19

Portable tank and bulk container instructions (ADR) : T7

Portable tank and bulk container special provisions (ADR) : TP1, TP28

Tank code (ADR) : L4BN

Vehicle for tank carriage : AT

Transport category (ADR) : 3

Special provisions for carriage - Packages (ADR) : V12

Hazard identification number (Kemler No.) : 80

Orange plates :



Tunnel restriction code (ADR) : E

EAC code : 2X

APP code : B

MSE Mortar Forte Rapid B-comp

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

- Transport by sea

Special provisions (IMDG)	: 223, 274
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP1, TP28
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-B
Stowage category (IMDG)	: A
Stowage and segregation (IMDG)	: Separated from' acids.
Properties and observations (IMDG)	: Colourless to yellowish liquids or solutions with a pungent odour. Miscible with or soluble in water. When involved in a fire, evolve toxic gases. Corrosive to most metals, especially to copper and its alloys. Reacts violently with acids. Cause burns to skin, eyes and mucous membranes.

- Air transport

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y841
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 852
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 856
CAO max net quantity (IATA)	: 60L
Special provisions (IATA)	: A3
ERG code (IATA)	: 8L

- Inland waterway transport

Classification code (ADN)	: C7
Special provisions (ADN)	: 274
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EP
Number of blue cones/lights (ADN)	: 0
Carriage prohibited (ADN)	: No
Not subject to ADN	: No

- Rail transport

Classification code (RID)	: C7
Special provisions (RID)	: 274
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T7
Portable tank and bulk container special provisions (RID)	: TP1, TP28
Tank codes for RID tanks (RID)	: L4BN
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Colis express (express parcels) (RID)	: CE8
Hazard identification number (RID)	: 80
Carriage prohibited (RID)	: No

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

MSE Mortar Forte Rapid B-comp

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

Germany

VwVwS Annex reference : Water hazard class (WGK) 3, severe hazard to waters (Classification according to VwVwS, Annex 4)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:

Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Muta. 2	Germ cell mutagenicity, Category 2
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H341	Suspected of causing genetic defects.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.

MSE Mortar Forte Rapid B-comp

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

H412	Harmful to aquatic life with long lasting effects.
------	--

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product