

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixtures
 Product name : MSE 300 Floor/Wallcoat B-comp

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Schippers Europe BV
 Rond Deel 12
 5531 AH Bladel - Nederland
 T +31 497 339771

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number
Belgium	Centre Anti-Poisons/Antigifcentrum c/o Hôpital Central de la Base - Reine Astrid	Rue Bruyn 1 1120 Bruxelles/Brussel	+32 70 245 245

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute Tox. 4 (Oral) H302
 Skin Corr. 1 H314
 Eye Dam. 1 H318
 Skin Sens. 1 H317
 Aquatic Chronic 3 H412

Full text of hazard classes and H-statements : see section 16

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

GHS07

Signal word (CLP) :

Danger

Hazardous ingredients :

m-fenyleenbis(methylamine); 3-aminomethyl-3,5,5-trimethylcyclohexylamine; Phenol, styrenated; Salicyl zuur; Benzylic alcohol

Hazard statements (CLP) :

H302 - Harmful if swallowed.
 H314 - Causes severe skin burns and eye damage.
 H317 - May cause an allergic skin reaction.
 H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) :

P260 - Do not breathe vapours, gas, mist, fume, spray, dust.
 P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 - Immediately call a POISON CENTER or doctor.
 P405 - Store locked up.
 P501 - Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste

MSE 300 Floor/Wallcoat B-comp

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
3-aminomethyl-3,5,5-trimethylcyclohexylamine	(CAS-No.) 2855-13-2 (EC-No.) 220-666-8 (EC Index-No.) 612-067-00-9 (REACH-no) 01-2119514687-32	25 - 50	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Corr. 1, H314 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Benzyl alcohol	(CAS-No.) 100-51-6 (EC-No.) 202-859-9 (EC Index-No.) 603-057-00-5 (REACH-no) 01-2119492630-38	25 - 50	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2, H319
m-fenyleenbis(methylamine)	(CAS-No.) 1477-55-0 (EC-No.) 216-032-5 (REACH-no) 01-2119480150-50	10 - 25	Skin Sens. 1B, H317 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Aquatic Chronic 3, H412
Phenol, styrenated	(CAS-No.) 61788-44-1 (EC-No.) 262-975-0 (REACH-no) 01-2119980970-27	2,5 - 10	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Salicyl zuur	(CAS-No.) 69-72-7 (EC-No.) 200-712-3 (REACH-no) 01-2119486984-17	2,5 - 10	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures general : Remove contaminated clothes.
- First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
- First-aid measures after skin contact : Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention.
- First-aid measures after eye contact : Get immediate medical advice/attention. Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes.
- First-aid measures after ingestion : Drink plenty of water. Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Carbon dioxide. Water. Powder. Alcohol resistant foam.
- Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

- Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

- Protection during firefighting : [In case of inadequate ventilation] wear respiratory protection.
- Other information : Dispose in a safe manner in accordance with local/national regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Personal protective equipment.

MSE 300 Floor/Wallcoat B-comp

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- For containment : Collect spillage.
- Methods for cleaning up : Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. Concerning disposal elimination after cleaning, see section 13.
- Other information : Provide adequate ventilation.

6.4. Reference to other sections

Clean contaminated surfaces with a soap solution. Clean contaminated surfaces with an excess of water.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Provide local exhaust or general room ventilation. Ensure adequate ventilation.
- Hygiene measures : Take off contaminated clothing.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : The floor of the depot should be impermeable and designed to form a water-tight basin.
- Storage conditions : Keep only in original container.
- Information on mixed storage : Keep away from food, drink and animal feeding stuffs.
- Storage area : Store in a well-ventilated place.
- Special rules on packaging : Store in tightly closed containers.

7.3. Specific end use(s)

No supplementary information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

m-fenyleenbis(methylamine) (1477-55-0)		
Belgium	Short time value (mg/m ³)	0,1 mg/m ³
France	VLE (mg/m ³)	0,1 mg/m ³
USA - ACGIH	ACGIH Ceiling (mg/m ³)	0,1 mg/m ³

8.2. Exposure controls

- Appropriate engineering controls : Keep away from food, drink and animal feeding stuffs. Remove contaminated clothes. Wash hands before break and at end of works. Avoid contact with skin and eyes.
- Personal protective equipment : Safety glasses. Gloves. Extra personal protection: A/P2 filter respirator for organic vapour and harmful dust.
- Materials for protective clothing : Wear suitable protective clothing
- Hand protection : Gloves must be replaced after each use and whenever signs of wear or perforation appear. Nitrile rubber gloves. Neoprene/viton®. Polyvinylchloride (PVC). Layer thickness : >0,5mm. unsuitable materials: leather gloves, thick fabric gloves. Since the product consists of several substances, the durability of the glove material cannot be estimated and needs to be tested before use
- Eye protection : Protective goggles
- Skin and body protection : Wear suitable protective clothing
- Respiratory protection : In case of inadequate ventilation wear respiratory protection. Extra personal protection: P2 filter respirator for harmful particles



MSE 300 Floor/Wallcoat B-comp

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: No data available
Odour	: No data available
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No supplementary information available.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reacts vigorously with strong oxidizers and acids. Stable under normal conditions.

10.4. Conditions to avoid

No supplementary information available.

10.5. Incompatible materials

Oxidizing agent.

10.6. Hazardous decomposition products

None under normal use. In case of fire: Toxic gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed.

ATE CLP (oral)	463,755 mg/kg bodyweight
m-fenyleenbis(methylamine) (1477-55-0)	
LD50 oral rat	200 - 2000 mg/kg bodyweight
LD50 dermal rat	> 3100 mg/kg bodyweight
LD50 dermal rabbit	2000 mg/kg
LC50 inhalation rat (mg/l)	1,34 mg/l
3-aminomethyl-3,5,5-trimethylcyclohexylamine (2855-13-2)	
LD50 oral rat	1030 mg/kg
LD50 dermal rat	> 2000 mg/kg bodyweight
LC50 inhalation rat (mg/l)	> 5,01 mg/l/4h

MSE 300 Floor/Wallcoat B-comp

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Salicyl zuur (69-72-7)	
LD50 oral rat	891 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg
LD50 dermal rabbit	> 10000 mg/kg

Benzylic alcohol (100-51-6)	
LD50 oral rat	1620 mg/kg bodyweight
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 4,178 mg/l air

Skin corrosion/irritation	: Causes severe skin burns and eye damage.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Based on available data, the classification criteria are not met
Carcinogenicity	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Based on available data, the classification criteria are not met
STOT-single exposure	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Based on available data, the classification criteria are not met
Aspiration hazard	: Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Phenol, styrenated (61788-44-1)	
EC50 Daphnia 1	> 0,249 mg/l
Threshold limit algae 1	0,326 mg/l
Threshold limit algae 2	0,14 mg/l

m-fenyleenbis(methylamine) (1477-55-0)	
LC50 fish 1	87,6 mg/l
EC50 Daphnia 1	15,2 mg/l
LC50 fish 2	> 100 mg/l
ErC50 (algae)	33,3 mg/l
Threshold limit algae 1	12 mg/l

3-aminomethyl-3,5,5-trimethylcyclohexylamine (2855-13-2)	
LC50 fish 1	110 mg/l
EC50 Daphnia 1	23 mg/l
LC50 fish 2	110 mg/l

Salicyl zuur (69-72-7)	
LC50 fish 1	90 mg/l
EC50 Daphnia 1	870 mg/l
Threshold limit algae 1	> 100 mg/l

Benzylic alcohol (100-51-6)	
LC50 fish 1	460 mg/l
EC50 Daphnia 1	230 mg/l
LC50 fish 2	10 mg/l
ErC50 (algae)	770 mg/l
Threshold limit algae 1	640 mg/l

12.2. Persistence and degradability

MSE 300 Floor/Wallcoat B-comp	
Persistence and degradability	No supplementary information available.

Salicyl zuur (69-72-7)	
Biochemical oxygen demand (BOD)	0,95 g O ₂ /g substance
Chemical oxygen demand (COD)	1,58 g O ₂ /g substance
ThOD	1,623 g O ₂ /g substance
BOD (% of ThOD)	0,41 - 0,60

Benzylic alcohol (100-51-6)	
Biochemical oxygen demand (BOD)	1,6 g O ₂ /g substance
Chemical oxygen demand (COD)	2,4 g O ₂ /g substance

MSE 300 Floor/Wallcoat B-comp

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Benzylic alcohol (100-51-6)	
ThOD	2,5 g O ₂ /g substance

12.3. Bioaccumulative potential

MSE 300 Floor/Wallcoat B-comp	
Bioaccumulative potential	No supplementary information available.

Phenol, styrenated (61788-44-1)	
Log Pow	6,24 - 7,77

m-fenyleenbis(methylamine) (1477-55-0)	
BCF fish 1	< 2,7
Log Pow	0,18

3-aminomethyl-3,5,5-trimethylcyclohexylamine (2855-13-2)	
BCF other aquatic organisms 1	3,16
Log Pow	0,99

Salicyl zuur (69-72-7)	
Log Pow	2,25

Benzylic alcohol (100-51-6)	
Log Pow	1 - 1,1

12.4. Mobility in soil

MSE 300 Floor/Wallcoat B-comp	
Ecology - soil	No supplementary information available.

m-fenyleenbis(methylamine) (1477-55-0)	
Log Koc	3,11

3-aminomethyl-3,5,5-trimethylcyclohexylamine (2855-13-2)	
Surface tension	3,47 N/m

Benzylic alcohol (100-51-6)	
Surface tension	39 mN/m

12.5. Results of PBT and vPvB assessment

Component	
m-fenyleenbis(methylamine) (1477-55-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
3-aminomethyl-3,5,5-trimethylcyclohexylamine (2855-13-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Benzylic alcohol (100-51-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

Additional information : danger for water. Do not discharge into drains or rivers. Danger of pollution of drinking water when product enters the soil. Harmful to aquatic organisms

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose in a safe manner in accordance with local/national regulations.
Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.
European List of Waste (LoW) code : 08 00 00 - WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS
08 02 00 - wastes from MFSU of other coatings (including ceramic materials)

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 2735
UN-No. (IMDG) : 2735
UN-No. (IATA) : 2735
UN-No. (ADN) : 2735
UN-No. (RID) : 2735

14.2. UN proper shipping name

Proper Shipping Name (ADR) : AMINES, LIQUID, CORROSIVE, N.O.S.

MSE 300 Floor/Wallcoat B-comp

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Proper Shipping Name (IMDG)	: AMINES, LIQUID, CORROSIVE, N.O.S.
Proper Shipping Name (IATA)	: Amines, liquid, corrosive, n.o.s.
Proper Shipping Name (ADN)	: AMINES, LIQUID, CORROSIVE, N.O.S.
Proper Shipping Name (RID)	: AMINES, LIQUID, CORROSIVE, N.O.S.
Transport document description (ADR)	: UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (m-fenyleenbis(methylamine)), 8, II, (E)
Transport document description (IMDG)	: UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (m-fenyleenbis(methylamine)), 8, II

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR)	: 8
Danger labels (ADR)	: 8



IMDG

Transport hazard class(es) (IMDG)	: 8
Danger labels (IMDG)	: 8



IATA

Transport hazard class(es) (IATA)	: 8
Hazard labels (IATA)	: 8



ADN

Transport hazard class(es) (ADN)	: 8
Danger labels (ADN)	: 8



RID

Transport hazard class(es) (RID)	: 8
Danger labels (RID)	: 8



14.4. Packing group

Packing group (ADR)	: II
Packing group (IMDG)	: II
Packing group (IATA)	: II

MSE 300 Floor/Wallcoat B-comp

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Packing group (ADN) : II

Packing group (RID) : II

14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : C7

Special provisions (ADR) : 274

Limited quantities (ADR) : 1I

Excepted quantities (ADR) : E2

Packing instructions (ADR) : P001, IBC02

Mixed packing provisions (ADR) : MP15

Portable tank and bulk container instructions (ADR) : T11

Portable tank and bulk container special provisions (ADR) : TP1, TP27

Tank code (ADR) : L4BN

Vehicle for tank carriage : AT

Transport category (ADR) : 2

Hazard identification number (Kemler No.) : 80

Orange plates :



Tunnel restriction code (ADR) : E

EAC code : 2X

APP code : B

- Transport by sea

Special provisions (IMDG) : 274

Limited quantities (IMDG) : 1 L

Excepted quantities (IMDG) : E2

Packing instructions (IMDG) : P001

IBC packing instructions (IMDG) : IBC02

Tank instructions (IMDG) : T11

Tank special provisions (IMDG) : TP1, TP27

EmS-No. (Fire) : F-A

EmS-No. (Spillage) : S-B

Stowage category (IMDG) : A

Properties and observations (IMDG) : Colourless to yellowish liquids or solutions with a pungent odour. Miscible with or soluble in water. When involved in a fire, evolve toxic gases. Corrosive to most metals, especially to copper and its alloys. Reacts violently with acids. Cause burns to skin, eyes and mucous membranes.

- Air transport

PCA Excepted quantities (IATA) : E2

PCA Limited quantities (IATA) : Y840

PCA limited quantity max net quantity (IATA) : 0.5L

PCA packing instructions (IATA) : 851

PCA max net quantity (IATA) : 1L

CAO packing instructions (IATA) : 855

CAO max net quantity (IATA) : 30L

Special provisions (IATA) : A3

ERG code (IATA) : 8L

MSE 300 Floor/Wallcoat B-comp

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

- Inland waterway transport

Classification code (ADN)	: C7
Special provisions (ADN)	: 274
Limited quantities (ADN)	: 1 L
Excepted quantities (ADN)	: E2
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EP
Number of blue cones/lights (ADN)	: 0
Carriage prohibited (ADN)	: No
Not subject to ADN	: No

- Rail transport

Classification code (RID)	: C7
Special provisions (RID)	: 274
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P001, IBC02
Mixed packing provisions (RID)	: MP15
Portable tank and bulk container instructions (RID)	: T11
Portable tank and bulk container special provisions (RID)	: TP1, TP27
Tank codes for RID tanks (RID)	: L4BN
Transport category (RID)	: 2
Colis express (express parcels) (RID)	: CE6
Hazard identification number (RID)	: 80
Carriage prohibited (RID)	: No

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions
Contains no substance on the REACH candidate list
Contains no REACH Annex XIV substances

15.1.2. National regulations

Germany

VwVwS Annex reference	: Water hazard class (WGK) 2, significant hazard to waters (Classification according to VwVwS, Annex 4)
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV	: Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen	: None of the components are listed
SZW-lijst van mutagene stoffen	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	: None of the components are listed

Denmark

Recommendations Danish Regulation	: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product
-----------------------------------	---

MSE 300 Floor/Wallcoat B-comp

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

15.2. Chemical safety assessment

Not determined.

SECTION 16: Other information

Other information : This sheet information describes security recommendations valid for our product. It is not to take as any liability concerning proprieties of our product.

Full text of H- and EUH-statements:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Corr. 1	Skin corrosion/irritation, Category 1
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product