

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixtures  
 Product name : MSE Gel Finish B-comp

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Industrial/Professional use spec : For professional use only

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Schippers Europe BV  
 Rond Deel 12  
 5531 AH Bladel - Nederland  
 T +31 497 339771

#### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number
Belgium	Centre Anti-Poisons/Antigifcentrum c/o Hôpital Central de la Base - Reine Astrid	Rue Bruyn 1 1120 Bruxelles/Brussel	+32 70 245 245

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute Tox. 4 (Oral) H302  
 Acute Tox. 4 (Inhalation) H332  
 Skin Corr. 1B H314  
 Eye Dam. 1 H318  
 Skin Sens. 1 H317  
 Aquatic Chronic 3 H412

Full text of hazard classes and H-statements : see section 16

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



Signal word (CLP) :

Danger

Hazardous ingredients :

Reaction product of 3-aminomethyl-3,5,5-trimethylcyclohexanamine with oligomerisation products of 4,4'-propane-2,2-diylidiphenol with 2-(chloromethyl)oxirane

Hazard statements (CLP) :

H302+H332 - Harmful if swallowed or if inhaled  
 H314 - Causes severe skin burns and eye damage.  
 H317 - May cause an allergic skin reaction.  
 H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) :

P280 - Wear Gloves, protective clothing.  
 P273 - Avoid release to the environment.  
 P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER/doctor  
 P303+P361+P353+P315 - IF ON SKIN : (or hair) Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Get immediate medical advice / attention.

#### 2.3. Other hazards

Adverse physicochemical, human health and : Harmful if swallowed. Causes severe skin burns and eye damage. May cause an allergic skin

# MSE Gel Finish B-comp

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

environmental effects

reaction. Harmful to aquatic life with long lasting effects.

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl alcohol	(CAS-No.) 100-51-6 (EC-No.) 202-859-9 (EC Index-No.) 603-057-00-5 (REACH-no) 01-2119492630-38	25 - 50	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2, H319
3-aminomethyl-3,5,5-trimethylcyclohexylamine	(CAS-No.) 2855-13-2 (EC-No.) 220-666-8 (EC Index-No.) 612-067-00-9 (REACH-no) 01-2119514687-32	25 - 50	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Corr. 1, H314 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Reaction product of 3-aminomethyl-3,5,5-trimethylcyclohexylamine with oligomerisation products of 4,4'-propane-2,2-diylidiphenol with 2-(chloromethyl)oxirane	(CAS-No.) 38294-64-3 (EC-No.) 500-101-4 (REACH-no) 01-2119965165-33	25 - 50	Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Chronic 3, H412

Full text of H-statements: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: Immediately call a POISON CENTER/doctor. Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial respiration if necessary. Do not apply mouth-to-mouth resuscitation. If unconscious place in recovery position and seek medical advice. Loosen tight clothing such as a collar, tie, belt or waistband. symptoms may be delayed.
First-aid measures after skin contact	: Call a physician immediately. Wash with plenty of water/.... Remove clothing while washing. Rinse immediately with plenty of water for 15 minutes. Wash clothing before re-using. Thoroughly clean shoes before re-using.
First-aid measures after eye contact	: Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
First-aid measures after ingestion	: Immediately call a POISON CENTER/doctor. Rinse mouth. Take victim to fresh air, in a quiet place. If the person is fully conscious, make him/her drink water. Never give an unconscious person anything to drink. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. If unconscious, place in the recovery position and seek medical advice. Loosen tight clothing such as a collar, tie, belt or waistband.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: Harmful by inhalation.
Symptoms/effects after skin contact	: Burns. May cause an allergic skin reaction. Pain. Irritation. Blisters.
Symptoms/effects after eye contact	: Serious damage to eyes. Pain. Redness. Lacrimation.
Symptoms/effects after ingestion	: Harmful if swallowed. Gastrointestinal complaints.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing agent suitable for surrounding fire.

#### 5.2. Special hazards arising from the substance or mixture

Explosion hazard	: Heating will cause rise in pressure with risk of bursting.
Hazardous decomposition products in case of fire	: Toxic fumes may be released. Carbon monoxide. Carbon dioxide. Nitrogen oxides.

#### 5.3. Advice for firefighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Keep public away. Compressed air/oxygen apparatus. Wear recommended personal protective equipment.
Other information	: Toxic to aquatic organisms. Provision to contain effluent from fire extinguishing. Do not allow run-off from fire fighting to enter drains or water courses.

# MSE Gel Finish B-comp

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Evacuate area.

##### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Only qualified personnel equipped with suitable protective equipment may intervene. Evacuate unnecessary personnel. In case of insufficient ventilation, wear suitable respiratory equipment. Wear suitable protective clothing.

##### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment : Stop leak without risks if possible. Avoid release to the environment. Approach from upwind.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site. Dispose of contaminated materials in accordance with current regulations.

#### 6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid inhalation of vapour and spray mist. Concerning personal protective equipment to use, see section 8. Avoid contact with skin and eyes. Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product. Ensure adequate ventilation. Keep only in original container. Do not re-use empty containers.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clothing should not be allowed out of the workplace.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store according to local legislation. Store in original container. Keep cool. Protect from sunlight. Keep container tightly closed and dry. Store in a well-ventilated place.

Storage area : Smoking, eating and drinking should be prohibited in areas of storage and use.

Special rules on packaging : Opened containers must be carefully closed and kept upright to avoid leakage. correctly labelled.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

Appropriate engineering controls : Use appropriate ventilation. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Measure concentrations regularly, and at the time of any change occurring in conditions likely to have consequences on workers exposure.

Hand protection : Impermeable protective gloves. Chemically resistant protective gloves. Gloves must be replaced after each use and whenever signs of wear or perforation appear. Since the product consists of several substances, it is possible to estimate the durability of the glove material beforehand and it therefore needs to be tested before use. The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. Material. 730 Camatril. (>=30 min). Material. 898 Butoject (>=480min)

Eye protection : Safety glasses. Face shield

Skin and body protection : Wear suitable protective clothing

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment

Other information : Do not eat, drink or smoke when using this product.

# MSE Gel Finish B-comp

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.
Odour	: Amine-like.
Odour threshold	: No data available
pH	: ≈ 11
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

#### 9.2. Other information

No additional information available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Stable under normal conditions.

#### 10.2. Chemical stability

Product is stable.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed. Inhalation: Harmful if inhaled.

MSE Gel Finish B-comp	
LD50 oral rat	1030 - 1230 mg/kg
LD50 oral	1639,4
LD50 dermal	4166,7 mg/kg
ATE CLP (gases)	4500,000 ppmv/4h
ATE CLP (vapours)	11,000 mg/l/4h
ATE CLP (dust,mist)	1,500 mg/l/4h
Benzylic alcohol (100-51-6)	
LD50 oral rat	1620 mg/kg bodyweight
LD50 dermal rabbit	> 2000 mg/kg

# MSE Gel Finish B-comp

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

<b>Benzylic alcohol (100-51-6)</b>	
LC50 inhalation rat (mg/l)	> 4,178 mg/l air
<b>3-aminomethyl-3,5,5-trimethylcyclohexylamine (2855-13-2)</b>	
LD50 oral rat	1030 mg/kg
LD50 dermal rat	> 2000 mg/kg bodyweight
LC50 inhalation rat (mg/l)	> 5,01 mg/l/4h
Skin corrosion/irritation	: Causes severe skin burns and eye damage. pH: ≈ 11
Serious eye damage/irritation	: Causes serious eye damage. pH: ≈ 11
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

<b>Benzylic alcohol (100-51-6)</b>	
LC50 fish 1	460 mg/l
EC50 Daphnia 1	230 mg/l
LC50 fish 2	10 mg/l
ErC50 (algae)	770 mg/l
Threshold limit algae 1	640 mg/l
<b>3-aminomethyl-3,5,5-trimethylcyclohexylamine (2855-13-2)</b>	
LC50 fish 1	110 mg/l
EC50 Daphnia 1	23 mg/l
LC50 fish 2	110 mg/l
<b>Reaction product of 3-aminomethyl-3,5,5-trimethylcyclohexylamine with oligomerisation products of 4,4'-propane-2,2-diylidiphenol with 2-(chloromethyl)oxirane (38294-64-3)</b>	
LC50 fish 1	70,7 mg/l
EC50 Daphnia 1	11,1 mg/l

### 12.2. Persistence and degradability

<b>Benzylic alcohol (100-51-6)</b>	
Biochemical oxygen demand (BOD)	1,6 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	2,4 g O <sub>2</sub> /g substance
ThOD	2,5 g O <sub>2</sub> /g substance
<b>Reaction product of 3-aminomethyl-3,5,5-trimethylcyclohexylamine with oligomerisation products of 4,4'-propane-2,2-diylidiphenol with 2-(chloromethyl)oxirane (38294-64-3)</b>	
Biodegradation	0 %

### 12.3. Bioaccumulative potential

<b>Benzylic alcohol (100-51-6)</b>	
Log Pow	1 - 1,1
<b>3-aminomethyl-3,5,5-trimethylcyclohexylamine (2855-13-2)</b>	
BCF other aquatic organisms 1	3,16
Log Pow	0,99

### 12.4. Mobility in soil

<b>Benzylic alcohol (100-51-6)</b>	
Surface tension	39 mN/m
<b>3-aminomethyl-3,5,5-trimethylcyclohexylamine (2855-13-2)</b>	
Surface tension	3,47 N/m

# MSE Gel Finish B-comp

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 12.5. Results of PBT and vPvB assessment

Component	
Benzyl alcohol (100-51-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
3-aminomethyl-3,5,5-trimethylcyclohexylamine (2855-13-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional legislation (waste)	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions. Dispose of waste or used sacks/containers according to local regulations. Do not re-use empty containers without proper cleaning or reconditioning.
Additional information	: This material and its container must be disposed of in a safe way.
Ecology - waste materials	: Avoid release to the environment.

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

### 14.1. UN number

UN-No. (ADR)	: 2735
UN-No. (IMDG)	: 2735
UN-No. (IATA)	: 2735
UN-No. (ADN)	: 2735
UN-No. (RID)	: 2735

### 14.2. UN proper shipping name

Proper Shipping Name (ADR)	: POLYAMINES, LIQUID, CORROSIVE, N.O.S.
Proper Shipping Name (IMDG)	: AMINES, LIQUID, CORROSIVE, N.O.S.
Proper Shipping Name (IATA)	: Amines, liquid, corrosive, n.o.s.
Proper Shipping Name (ADN)	: AMINES, LIQUID, CORROSIVE, N.O.S.
Proper Shipping Name (RID)	: AMINES, LIQUID, CORROSIVE, N.O.S.
Transport document description (ADR)	: UN 2735 POLYAMINES, LIQUID, CORROSIVE, N.O.S. ((Isophorone Diamine, Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 5-amino-1,3,3-trimethylcyclohexanemethanamine and (chloromethyl)oxirane)), 8, II, (E)
Transport document description (IMDG)	: UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. ((Isophorone Diamine, Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 5-amino-1,3,3-trimethylcyclohexanemethanamine and (chloromethyl)oxirane)), 8, II

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR)	: 8
Danger labels (ADR)	: 8



#### IMDG

Transport hazard class(es) (IMDG)	: 8
Danger labels (IMDG)	: 8



#### IATA

# MSE Gel Finish B-comp

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Transport hazard class(es) (IATA) : 8

Hazard labels (IATA) : 8



### ADN

Transport hazard class(es) (ADN) : 8


Danger labels (ADN) : 8



### RID

Transport hazard class(es) (RID) : 8

Danger labels (RID) : 8



#### 14.4. Packing group

Packing group (ADR) : II

Packing group (IMDG) : II

Packing group (IATA) : II

Packing group (ADN) : II

Packing group (RID) : II

#### 14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

#### 14.6. Special precautions for user

Special transport precautions : Always keep container in upright position.

#### - Overland transport

Classification code (ADR) : C7

Special provisions (ADR) : 274

Limited quantities (ADR) : 11

Excepted quantities (ADR) : E2

Packing instructions (ADR) : P001, IBC02

Mixed packing provisions (ADR) : MP15

Portable tank and bulk container instructions (ADR) : T11

Portable tank and bulk container special provisions (ADR) : TP1, TP27

Tank code (ADR) : L4BN

Vehicle for tank carriage : AT

Transport category (ADR) : 2

Hazard identification number (Kemler No.) : 80

# MSE Gel Finish B-comp

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Orange plates

:



Tunnel restriction code (ADR)

: E

EAC code

: 2X

APP code

: B

### - Transport by sea

Special provisions (IMDG)

: 274

Limited quantities (IMDG)

: 1 L

Excepted quantities (IMDG)

: E2

Packing instructions (IMDG)

: P001

IBC packing instructions (IMDG)

: IBC02

Tank instructions (IMDG)

: T11

Tank special provisions (IMDG)

: TP1, TP27

EmS-No. (Fire)

: F-A

EmS-No. (Spillage)

: S-B

Stowage category (IMDG)

: A

Properties and observations (IMDG)

: Colourless to yellowish liquids or solutions with a pungent odour. Miscible with or soluble in water. When involved in a fire, evolve toxic gases. Corrosive to most metals, especially to copper and its alloys. Reacts violently with acids. Cause burns to skin, eyes and mucous membranes.

### - Air transport

PCA Excepted quantities (IATA)

: E2

PCA Limited quantities (IATA)

: Y840

PCA limited quantity max net quantity (IATA)

: 0.5L

PCA packing instructions (IATA)

: 851

PCA max net quantity (IATA)

: 1L

CAO packing instructions (IATA)

: 855

CAO max net quantity (IATA)

: 30L

Special provisions (IATA)

: A3

ERG code (IATA)

: 8L

### - Inland waterway transport

Classification code (ADN)

: C7

Special provisions (ADN)

: 274

Limited quantities (ADN)

: 1 L

Excepted quantities (ADN)

: E2

Carriage permitted (ADN)

: T

Equipment required (ADN)

: PP, EP

Number of blue cones/lights (ADN)

: 0

Carriage prohibited (ADN)

: No

Not subject to ADN

: No

### - Rail transport

Classification code (RID)

: C7

Special provisions (RID)

: 274

Limited quantities (RID)

: 1L

Excepted quantities (RID)

: E2

Packing instructions (RID)

: P001, IBC02

Mixed packing provisions (RID)

: MP15

Portable tank and bulk container instructions (RID)

: T11

Portable tank and bulk container special provisions (RID)

: TP1, TP27

Tank codes for RID tanks (RID)

: L4BN

Transport category (RID)

: 2

Colis express (express parcels) (RID)

: CE6

# MSE Gel Finish B-comp

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazard identification number (RID) : 80

Carriage prohibited (RID) : No

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

#### 15.1.2. National regulations

##### Germany

VwVwS Annex reference : Water hazard class (WGK) 3, severe hazard to waters (Classification according to VwVwS, Annex 4)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

##### Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

##### Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product  
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Full text of H- and EUH-statements:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Corr. 1	Skin corrosion/irritation, Category 1
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Sens. 1	Skin sensitisation, Category 1
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H412	Harmful to aquatic life with long lasting effects.

# MSE Gel Finish B-comp

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

---

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*